

PRODUCT DATA SHEET



product name:**WOOL**

collection:**WOOL**

Basic information

	Result
width total (+/-)	145 cm
width usable (+/-)	140 cm
weight (+/-)	325 g/m²
thickness	0,8 - 1,1 mm
roll lenght (+/- 5m)	50 m
minimal order quantity	0.1 m
quantity of colours	51

Composition

another fiber	5%
recycled wool	70%
polyamide	5%
polyester	20%

Technical data

	Norm	Result
abrasion resistance	EN ISO 12 947	100 000 Martindale cycles

colour resistance to light	EN ISO 105-B02	4-5
color fastness to wet rubbing	EN ISO 105-X12	4
color fastness to dry rubbing	EN ISO 105-X12	4-5
shrinkage wet	ISO 5077 / ISO 6330 / ISO 3759	warp 2% weft 2%
shrinkage dry	ISO 3175-2 / ISO 3759	warp 1% weft 1%
colour fastness to washing	EN ISO 105-C06	5
thermal resistance		0.017 m²K/W
seam slippage	EN ISO 13 936-2	warp 5,5 mm weft 5 mm
pilling	EN ISO 12 945-2	4-5

Acoustic properties

Norm	Result
EN ISO 354 & 11654	0.70 CLASS C

Flame retardant standards

Norm	Foam	Result
US Cal. Bull. 117		passed
EN 13773		Class 5
ASTM E84		Class 1/A
BS 5852	20-22 kg/m ³	0
BS 5852	20-22 kg/m ³	1
EN 1021	20-22 kg/m ³	1
EN 1021	20-22 kg/m ³	2
IMO	20-22 kg/m ³	zdane
DIN 4102		B2

Applications / parameters

flame retardant



curtains



upholstery



decorative



reach



imo



thermal



recycled



acoustic properties



Maintenance



do not wash



do not bleach



tolerates ironing up to 110 °c



normal dry cleaning using hydrocarbones and tetrachloroethene



do not tumble dry

Iron on reverse.

Before you order

1. Colour shades may vary slightly between production lots.
2. Information presented on this website does not constitute a trade offer.
3. Product technical parameters contained in the safety data sheet are based on the manufacturer's data.
4. Data on maintenance (cleaning methods) pertains to the fabrics we sell, not to finished products comprising different elements.
5. Before cutting the fabric, please verify the quantity delivered, quality of materials and conformity with the order.
6. With complete rolls of textiles, the length may differ slightly from the value declared.
7. In case of any doubts regarding the use of our products, visit the TIPS section at www.dekoma.eu or contact us directly.
8. Colours of products presented on this website may differ from the actual colours.
9. Due to the specific character of the production process, the parameters provided i.e. width, height, grammage, and repeat may differ slightly from the values declared.