


DEKOMA®



scot fr

scot fr



Aluminium 05




Sesame 01




Mocca 29




Cocoa 20



Lavender 04



Chrome 19



Carmel Cafe 39




Mint 46



Pastel Blue 87



Plum 25




Wild Ginger 88




Grape Leaf 54




Thyme 11




Imperial 09




Raspberry 24



Magnet 40




Pepper 21



Insignia Blue 41



Caribbean 34



Heather 27

name		SCOT FR	
composition		100% PL	
weight ±		430 g/m²	
usable width ±		140 cm	
abrasion resistance Martindale cycles	EN ISO 12947-2	45 000	
colour fastness to light (1-8)	EN ISO 105-B02	4-5	
colour fastness to rubbing (1-5)	EN ISO 105-X12	wet ≥4 dry 3-4	
seam slippage	EN ISO 13936-2	↑ 3,4	→ 3 mm
pilling (1-5)	EN ISO 12945-2	4-5	
flame retardant standards	BS 5852 BS 5852 BS 5852	0 1 Crib 5*	
finishing		water repellent	
type		upholstery decorative	
cleaning		    	

legend

PL - Polyester

*Scot FR can be treated to Crib 5 complying with BS 5852 ignition source 5 for an additional charge.

Colour shades may slightly vary from dye-lot to dye-lot.
For more details, visit our website dekoma.eu

