

DEKOMA®

UFA Pouf by DOKI

wool

wool




Terracota 15



Rust 33



Autumn 58



Sorbet 41



Fire 28



Sienna 62



Irys 38



Fuchsia 20




Vino 34




Plum 19




Orchid 40




Hyacinth 39




Burgundy 35



Aubergine 36



Eggplant 12



Navy 37




Ivory 26



Calico 29



Cameo 21




Mustard 63



Dust 22




Biscuit 17



Chinchilla 08



Basil 43



Jade 42



Woodbine 27




Chestnut 25



Olive 31



Lichen 24



Seagrass 64



Linen 32



Pewter 04



Onyx 23



Pelican 57




Icicle 49



Silver 03



Grey 02




Slate 47




Haze 46



Cloud 16



Indigo 14



Storm 48



Mist 45



Arctic 69



Petrol 44




Turquoise 30



Emerald 18



Machogany Rose 74








Rolling Hills 07



Deep Ultramarine 06

| | | |
|--|--|---|
| name | WOOL | |
| composition | 70% recycled WO, 20% PL, 5% PA, 5% AF | |
| weight ± | 325 g/m² | |
| usable width ± | 140 cm | |
| thickness | 0,8 - 1,1 mm | |
| abrasion resistance Martindale cycles | EN ISO 1 2947-2 | 100 000 |
| colour fastness to light (1-8) | EN ISO 105-802 | 4-5 |
| colour fastness to rubbing (1-5) | EN ISO 105-X12 | dry 4-5 wet 4 |
| colour fastness to washing (1-5) | EN ISO 105-C06 | 5 |
| seam slippage | EN ISO 13936-2 | ↑ → 5,5 5 mm |
| shrinkage | EN ISO 5077/3759/6330 EN ISO 3759/3175-1 | wet 2% dry 1% |
| pilling (1-5) | EN ISO 12945-2 | 4-5 |
| flame retardant standards | EN 1021 EN 1021 BS 5852 BS 5852 BS 5852 US Cal. Bull. 117 IMO ASTM E84-16 EN 13773 UNI 9175 DIN 4102 | 1 2 0 1 Crib 5 (WOOL can be treated to pass this norm for an additional charge) Passed FTPC Part 8 CLASS 1/A CLASS 5 CLASS 1/M (when using FR foam 35 kg/m³) B2 |
| acoustic properties | EN ISO 354 EN ISO 11654 | Class C, αw=0,70 |
| thermal resistance | EN 12664 | R10=0,017 [m²K/W] |

type **upholstery
decorative
curtains**

cleaning      **Iron on reverse.**

legend

- WO** - Wool
- PL** - Polyester
- PA** - Polyamide
- AF** - Other fibres

Colour shades may slightly vary from dye-lot to dye-lot.
For more details, visit our website dekoma.eu

benefits of recycled wool

- renewable resource
- ability to absorb/give off humidity
- naturally flame retardant
- naturally soil resistant
- no water for dyeing and fibre cleaning required

Scan the QR code to find out more about this product.

