

DEKOMA®



CAVO

CAVO




Vanilla Ice 01



Moonbeam 21




Oatmeal 22




Trench Coat 23



Cornstalk 24



Mojave Desert 04




Sahara Sun 66



Curry 25



Pale Blush 41



Calendula 62




Tobacco Brown 26



Winterberry 42



True Red 31




Burnt Brick 32




Molten Lava 33




Golden Poppy 50




Algiers Blue 82




Baltic 75




Oil Blue 83




Glacier 81




Frosty Spruce 74



Mint Green 67



Vineyard Green 77



Loden Frost 78



Dark Citron 72




Kiwi Colada 71




Blue Quartz 84




Satellite 61




Gray Flannel 12




Elephant Skin 11




Dusky Green 73




Blue Graphite 03




Grisaille 14




Thunderstorm 91




Canteen 27




Turkish Coffee 28



Spellbound 85



Pinecone 92




Stormy Weather 13



Martime Blue 69



Black 15



name **CAVO**

composition **100% TREVIRA CS**

weight \pm **330 g/m²**

usable width \pm **143 cm**

abrasion resistance
Martindale cycles EN ISO 12947-2 **61 000**

colour fastness to light (1-8) EN ISO 105-B02 **5-6**

colour fastness to rubbing (1-5) EN ISO 105-X12 **wet 3-4
dry 4-5**

seam slippage EN ISO 13936-2 **↑ →
1 1 mm**

pilling (1-5) EN ISO 12945-2 **4**

flame retardant standards
DIN 4102 **B1**
NFP 92-507 **M1**
EN 13773 **Class 1**
BS 5867 **Part 2 Type C**
EN 1021 **1**
EN 1021 **2**
BS 5852 **0**
BS 5852 **1**
BS 5852 **Crib 5 (when using FR foam ≥ 50 kg/m³)**
IMO FTFC **Part 8 (when using FR foam 36 kg/m³)**
EN 13501-1 B-s1, d0 **Passed**
NFPA 701 **Passed**
NFPA 260 **Passed**

acoustic properties EN ISO 354 EN ISO 11654 **Class C, $\alpha_w=0,75$**

type **upholstery
curtains**

cleaning



legend

TREVIRA CS - Inherent flame retardant fibre

Colour shades may slightly vary from dye-lot to dye-lot.
For more details, visit our website dekoma.eu

Scan the QR code to find out
more about this product.



flame
retardant



upholstery



curtains



decorative



acoustic



standard
100



REACH

