

DEKOMA®

sahel

sahel



White Sand 03




Starfish 15



Slicker 17




Peat Moss 16



Nocturne 13




Fire Whirl 07




Dusty Orange 18




Pumpkin Spice 14




Opal Gray 08



Ashley Blue 02




Arctic Ice 05




Spa Blue 04



Coffe Bean 10




Raven 12



Black Iris 11




Jungle Green 01



name	SAHEL	
composition	85% PVC, 15% CO	
composition surface	100% PVC	
composition backing	100% CO	
weight ±	750 g/m ²	
usable width ±	138 cm	
thickness ±	1,1 mm	
abrasion resistance Martindale cycles	ISO 5470-2	>150 000
colour fastness to light (1-8)	EN ISO 105-B02	≥6
colour fastness to rubbing (1-5)	EN ISO 105-X12	wet ≥4 dry 4-5
blood and urine resistance (1-5)	EN 15973	4-5
flame retardant standards	BS 5852 EN 1021 EN 1021 DIN 4102 EN 71-2 IMO FTPC Part 8 NFP 92-507 NF D 60-013 UNI 9175 Önorm A 3800-1 & B 3825 ECE R118, Annex 6, Annex 8	Crib 5 (when using FR foam 35kg/m ³) 1 2 B2 Passed Passed M1 Passed (when using FR foam 35kg/m ³) Class 1 (when using FR foam 25kg/m ³) Q2/Hardly flammable Passed

type upholstery decorative











cleaning  Clean regularly with pH-neutral soap and a soft brush. Always rinse with clean water. Any stains such as pen ink, coffee, wine, eosine or denim should be cleaned off immediately in order to prevent them becoming permanently embedded in the coated fabric. You can find the full cleaning instruction on dekoma.eu

legend

CO - Cotton
PVC - Polyvinyl chloride

Scan the QR code to find out more about this product.

Colour shades may slightly vary from dye-lot to dye-lot.
For more details, visit our website dekoma.eu

									
flame retardant	upholstery	decorative	water repellent	anti-bacterial	phtalates free	IMO	sanitized	vehicles	REACH COMPLIANCE

