

PRODUCT DATA SHEET



product name:**AKROPOL**
collection:**AKROPOL IQ FABRICS**

Basic information

	Result
width total (+/-)	140 cm
width usable (+/-)	140 cm
weight (+/-)	550 g/m²
roll length (+/- 5m)	30 m
minimal order quantity	0.1 m
quantity of colours	18

Composition

polyurethane	2%
pvc	81%
polyester	17%

Composition surface

polyurethane	2%
pvc	98%

Composition backing

polyester

100%

Technical data

	Norm	Result
abrasion resistance	EN ISO 12 947	>100 000 Martindale cycles
colour resistance to light	EN ISO 105-B02	7
colour fastness to wet rubbing	EN ISO 105-X12	4
color fastness to dry rubbing	EN ISO 105-X12	4
colour fastness to chlorinated water	EN ISO 105-E03	4-5
colour fastness to sea water	EN ISO 105-E02	4-5

Flame retardant standards

Norm	Foam	Result
BS 5852	20-22 kg/m ³	0
BS 5852	20-22 kg/m ³	1
EN 1021	20-22 kg/m ³	2
IMO	20-22 kg/m ³	passed

Applications / parameters

flame retardant



upholstery



outdoor



decorative



reach



imo



water repellent



phtalate free

▪

Maintenance

do not wash



do not bleach



do not iron



do not dry clean



do not tumble dry

Wipe clean regularly with a damp, white, cotton cloth to remove dust particles and prevent build-up soiling. For general dirt and stain apply mild soap and water with a soft sponge or nonabrasive cloth. Then rise with fresh water and wipe with a dry white cotton cloth to remove all moisture. Ensure that all cleaning product residues are fully rinsed out. For coffee, tea, juice like stains, absorb the excess liquid with an absorbent cloth. Allow the stain to be absorbed until all the liquid is removed from the material's surface. After the initial surface spill has been absorbed, rub very gently with damp cloth. Finally wipe the surface with a dry white cotton cloth to remove moisture. For oil and grease like stains, wipe affected area with a clean cotton, white cloth and use a soapy cotton cloth or sponge to rub the stain. Wipe off the area with a clean, damp, cotton cloth dry the surface. For ink, ball point, pen, denim or cloth stains, rub the stain with damp cloth, these are almost impossible to remove once set. After rubbing the stain, dry with a clean white cotton cloth. Don't use hard brushes or any other abrasive items on artificial leather. Don't allow body oils, perspiration or hair products to settle on the surface of the vinyl, as these will gradually cause to crack. Don't use cleaning agents like thinner, acetone, nail varnish remover, furniture polish, stain remover, solvent, alcohol, synthetic detergent and other harmful household products as these can damage the surface. Please, keep in mind that colouring by indigo dyed from denim & canvas garments or other textiles are excluded from any manufacturer's guarantee. Dyes can be migrated onto all light coloured vinyl's and can be impossible to remove. If you do wish to apply preparatory vinyl care products or cleaners, before use, always test on a small area that cannot be seen. If necessary, please use diluted alcohol solution 30% for cleaning.

Before you order

1. Colour shades may vary slightly between production lots.
2. Information presented on this website does not constitute a trade offer.
3. Product technical parameters contained in the safety data sheet are based on the manufacturer's data.
4. Data on maintenance (cleaning methods) pertains to the fabrics we sell, not to finished products comprising different elements.
5. Before cutting the fabric, please verify the quantity delivered, quality of materials and conformity with the order.
6. With complete rolls of textiles, the length may differ slightly from the value declared.
7. In case of any doubts regarding the use of our products, visit the TIPS section at www.dekoma.eu or contact us directly.
8. Colours of products presented on this website may differ from the actual colours.
9. Due to the specific character of the production process, the parameters provided i.e. width, height, grammage, and repeat may differ slightly from the values declared.