

## PRODUCT DATA SHEET



product name:**ALHENA**

collection:**ALHENA**

### Basic information

	Result
height total (+/-)	<b>320 cm</b>
height usable (+/-)	<b>315 cm</b>
weight (+/-)	<b>79 g/m<sup>2</sup></b>
roll length (+/- 5m)	<b>55 m</b>
minimal order quantity	<b>0.1 m</b>
leadband	<b>Yes</b>
quantity of colours	<b>9</b>

### Composition

polyester fr	<b>100%</b>
--------------	-------------

### Technical data

	Norm	Result
colour resistance to light	EN ISO 105-B02	<b>4-5</b>
shrinkage wet		<b>≤1%</b>

### Flame retardant standards

Norm	Foam	Result
------	------	--------

EN 13773

NF P 92-507

M1

BS 5867 PART 2

Type B

NFPA 701

passed

ISO 6940/6941

passed

## Applications / parameters

flame retardant

curtains

transparent



oekeo tex



## Maintenance



wash at maximum 30 °c



do not bleach



tolerates ironing up to 110 °c



normal dry cleaning using hydrocarbones and tetrachloroethene



do not tumble dry

## Before you order

1. Colour shades may vary slightly between production lots.
2. Information presented on this website does not constitute a trade offer.
3. Product technical parameters contained in the safety data sheet are based on the manufacturer's data.
4. Data on maintenance (cleaning methods) pertains to the fabrics we sell, not to finished products comprising different elements.
5. Before cutting the fabric, please verify the quantity delivered, quality of materials and conformity with the order.
6. With complete rolls of textiles, the length may differ slightly from the value declared.
7. In case of any doubts regarding the use of our products, visit the TIPS section at [www.dekoma.eu](http://www.dekoma.eu) or contact us directly.
8. Colours of products presented on this website may differ from the actual colours.
9. Due to the specific character of the production process, the parameters provided i.e. width, height, grammage, and repeat may

differ slightly from the values declared.