

PRODUCT DATA SHEET



product name:**ANTON FR**

collection:**ANTON FR**

Basic information

	Result
width total (+/-)	296 cm
width usable (+/-)	293 cm
weight (+/-)	235 g/m²
roll length (+/- 5m)	30 m
minimal order quantity	0.1 m
quantity of colours	43

Composition

polyester fr	100%
--------------	-------------

Technical data

	Norm	Result
abrasion resistance	EN ISO 12 947	10 000 Martindale cycles
colour resistance to light	EN ISO 105-B02	4-5
shrinkage wet		0,2%
seam slippage	EN ISO 13 936-2	warp 3,2 mm weft 2,8 mm

Flame retardant standards

Norm	Foam	Result
EN 13773		Class 1
IMO 7		zdane
NF P 92-507		M1
UNI 9177		Class 1
BS 5867 PART 2		Type B & C
DIN 4102		B1
ISO 6940/6941		passed

Applications / parameters

flame retardant



curtains



dimout



decorative



reach



imo



Maintenance



wash at or below 60 °c



bleaching with non-chlorine allowed



tolerates ironing up to 150 °c



dry dean



drip dry

Before you order

1. Colour shades may vary slightly between production lots.
2. Information presented on this website does not constitute a trade offer.
3. Product technical parameters contained in the safety data sheet are based on the manufacturer's data.
4. Data on maintenance (cleaning methods) pertains to the fabrics we sell, not to finished products comprising different elements.
5. Before cutting the fabric, please verify the quantity delivered, quality of materials and conformity with the order.
6. With complete rolls of textiles, the length may differ slightly from the value declared.
7. In case of any doubts regarding the use of our products, visit the TIPS section at www.dekoma.eu or contact us directly.
8. Colours of products presented on this website may differ from the actual colours.
9. Due to the specific character of the production process, the parameters provided i.e. width, height, grammage, and repeat may differ slightly from the values declared.