

PRODUCT DATA SHEET



product name:**ECLIPSE**

collection:**ECLIPSE**

Basic information

	Result
width total (+/-)	280 cm
width usable (+/-)	280 cm
weight (+/-)	300 g/m²
roll length (+/- 5m)	40 m
quantity of colours	7

Composition

polyester	100%
-----------	-------------

Composition backing

acrylic	100%
---------	-------------

Technical data

	Norm	Result
colour resistance to light	EN ISO 105-B02	3-5
shrinkage wet	ISO 5077 / ISO 6330 / ISO 3759	warp 1,5% weft 0%
colour fastness to washing	EN ISO 105-C06	5

thermal resistance

5.7 m²K/W

Acoustic properties

Norm

Result

ASTM C423-09a

NRC 0.45 SAA 0.43

DB-HR

α 0.53

Flame retardant standards

Norm

Foam

Result

EN 13773

Class 1

IMO 7

zdane

NF P 92-507

M1

Applications / parameters

flame retardant

curtains

blackout



oeko tex

imo

thermal

acoustic properties

wide



Maintenance



gentle wash at maximum 30 °c



do not bleach



tolerates ironing up to 110 °c



do not dry dean



do not tumble dry



line drying in shade

Before you order

1. Colour shades may vary slightly between production lots.
2. Information presented on this website does not constitute a trade offer.
3. Product technical parameters contained in the safety data sheet are based on the manufacturer's data.
4. Data on maintenance (cleaning methods) pertains to the fabrics we sell, not to finished products comprising different elements.
5. Before cutting the fabric, please verify the quantity delivered, quality of materials and conformity with the order.
6. With complete rolls of textiles, the length may differ slightly from the value declared.
7. In case of any doubts regarding the use of our products, visit the TIPS section at www.dekoma.eu or contact us directly.
8. Colours of products presented on this website may differ from the actual colours.
9. Due to the specific character of the production process, the parameters provided i.e. width, height, grammage, and repeat may differ slightly from the values declared.