

PRODUCT DATA SHEET



product name:**HENRY FR**

collection:**HENRY FR**

Basic information

	Result
width total (+/-)	140 cm
width usable (+/-)	138 cm
weight (+/-)	325 g/m²
roll length (+/- 5m)	50 m
minimal order quantity	0.1 m
quantity of colours	89

Composition

polyester fr	100%
--------------	-------------

Technical data

	Norm	Result
abrasion resistance	ISO 12 497-2	80 000 Martindale cycles
colour resistance to light	EN ISO 105-B02	5-6
color fastness to wet rubbing	EN ISO 105-X12	4-5
color fastness to dry rubbing	EN ISO 105-X12	4-5

shrinkage wet	ISO 5077 / ISO 6330 / ISO 3759	warp 0,5% weft 0,5%
seam slippage	EN ISO 13 936-2	warp 1,5 mm weft 1 mm

Acoustic properties

Norm	Result
ASTM C423-09a	NRC = 0,60 SAA = 0,59

Flame retardant standards

Norm	Foam	Result
US Cal. Bull. 117		passed
EN 13773		Class 1
BS 5852		0
BS 5852	FR ≥ 50 kg/m ³	Crib 5
EN 1021		1
EN 1021	FR 36 kg/m ³	2
IMO	FR 36 kg/m ³	zdane
BS 7176	Medium Hazard	FR 36 kg/m³, wymagana dodatkowa laminacja FR
NF P 92-507		M1
NFPA 260		Class 1
NFPA 701		passed
DIN 4102		B1
ISO 6940/6941		passed

Applications / parameters

flame retardant



curtains



upholstery



decorative



oeko tex



imo



acoustic
properties



Maintenance



wash at or below 40 °c



do not bleach



do not iron



normal dry cleaning using hydrocarbones and tetrachloroethene



tumble drying at maximum 60 °c

Before you order

1. Colour shades may vary slightly between production lots.
2. Information presented on this website does not constitute a trade offer.
3. Product technical parameters contained in the safety data sheet are based on the manufacturer's data.
4. Data on maintenance (cleaning methods) pertains to the fabrics we sell, not to finished products comprising different elements.
5. Before cutting the fabric, please verify the quantity delivered, quality of materials and conformity with the order.
6. With complete rolls of textiles, the length may differ slightly from the value declared.
7. In case of any doubts regarding the use of our products, visit the TIPS section at www.dekoma.eu or contact us directly.
8. Colours of products presented on this website may differ from the actual colours.
9. Due to the specific character of the production process, the parameters provided i.e. width, height, grammage, and repeat may differ slightly from the values declared.