

## PRODUCT DATA SHEET



product name:**PAGO**

collection:**PAGO**

### Basic information

	Result
width total (+/-)	<b>302 cm</b>
width usable (+/-)	<b>298 cm</b>
weight (+/-)	<b>250 g/m<sup>2</sup></b>
roll length (+/- 5m)	<b>25 m</b>
minimal order quantity	<b>0.1 m</b>
quantity of colours	<b>42</b>

### Composition

polyester fr	<b>100%</b>
--------------	-------------

### Technical data

	Norm	Result
colour resistance to light	EN ISO 105-B02	<b>5</b>
shrinkage wet		<b>warp 0%</b> <b>weft &lt;0,5%</b>
shrinkage dry		<b>warp 0%</b> <b>weft &lt;0,5%</b>
colour fastness to washing	EN ISO 105-C06	<b>5</b>

thermal resistance	EN 12667	<b>0.033044 m²K/W</b>
pilling	EN ISO 12 945-2	<b>5</b>









## Acoustic properties

Norm		Result
EN ISO 354 & 11654		<b>αw 0.6 Class C</b>






## Flame retardant standards

Norm	Foam	Result
EN 13773		<b>Class 1</b>
NF P 92-507		<b>M1</b>
DIN 4102		<b>B1</b>
ISO 6940/6941		<b>passed</b>

## Applications / parameters

flame retardant	curtains	dimout	decorative
			
oeko tex	reach	acoustic properties	wide
			

## Maintenance

-  gentle wash at maximum 30 °c
-  do not bleach
-  tolerates ironing up to 110 °c
-  normal dry cleaning using hydrocarbones and tetrachloroethene
-  do not tumble dry

## **Before you order**

1. Colour shades may vary slightly between production lots.
2. Information presented on this website does not constitute a trade offer.
3. Product technical parameters contained in the safety data sheet are based on the manufacturer's data.
4. Data on maintenance (cleaning methods) pertains to the fabrics we sell, not to finished products comprising different elements.
5. Before cutting the fabric, please verify the quantity delivered, quality of materials and conformity with the order.
6. With complete rolls of textiles, the length may differ slightly from the value declared.
7. In case of any doubts regarding the use of our products, visit the TIPS section at [www.dekoma.eu](http://www.dekoma.eu) or contact us directly.
8. Colours of products presented on this website may differ from the actual colours.
9. Due to the specific character of the production process, the parameters provided i.e. width, height, grammage, and repeat may differ slightly from the values declared.